

PAL2100

- Cyclone Pump 2100GPH / 33 Ft. Cord



Features

- Energy saving split tube motor with 33ft cord
- Vortex impeller
- Pump can be used vertical or horizontal
- Can pump dust particles of size .24" through
- Operates in and out of water!!!!
- Simple maintenance with removable rotor assembly
- Water-resistant ceramic bearing for continuous and trouble free use
- Oil Free Magnetic-driven, epoxy protected ceramic shaft for longer life
- Cost- saving energy efficient operation
- 3 YEAR WARRANTY

Specs

- Dimensions- 8"L x 5" W x 6"H
- Weight- 8.25 lbs
- Plastic
- Case Pack- 4
- 1.6 Amps
- 190 Watts
- 2100 GPH Max Flow
- 20' Max Height
- 1 1/2" Outlet Connection
- 33 ft Cord Length

PAL3100

- Cyclone Pump 3100GPH / 33 Ft. Cord



Features

- Energy saving split tube motor with 33ft cord
- Vortex impeller
- Pump can be used vertical or horizontal
- Can pump dust particles of size .24" through
- Operates in and out of water!!!!
- Simple maintenance with removable rotor assembly
- Water-resistant ceramic bearing for continuous and trouble free use
- Oil Free Magnetic-driven, epoxy protected ceramic shaft for longer life
- Cost- saving energy efficient operation
- 3 YEAR WARRANTY

Specs

- Dimensions- 8"L x 5" W x 6"H
- Weight- 8.25 lbs
- Plastic
- Case Pack- 4
- 2.3 Amps
- 250 Watts
- 3100 GPH Max Flow
- 21 1/2' Max Height
- 1 1/2" Outlet Connection
- 33 ft Cord Length

PAL4000

- Cyclone Pump 4000GPH / 33 Ft. Cord



Features

- Energy saving split tube motor with 33ft cord
- Vortex impeller
- Pump can be used vertical or horizontal
- Can pump dust particles of size .24" through
- Operates in and out of water!!!!
- Simple maintenance with removable rotor assembly
- Water-resistant ceramic bearing for continuous and trouble free use
- Oil Free Magnetic-driven, epoxy protected ceramic shaft for longer life
- Cost- saving energy efficient operation
- 3 YEAR WARRANTY

Specs

- Dimensions- 10"L x 5" W x 7"H
- Weight- 8.6 lbs
- Plastic
- 2.5 Amps
- 290 Watts
- 4000 GPH Max Flow
- 21' Max Height
- 2" Outlet Connection
- 33 ft Cord Lengt

PAL5200 **- Cyclone Pump 5200GPH / 33 Ft. Cord**



Features

- Energy saving split tube motor with 33ft cord
- Vortex impeller
- Pump can be used vertical or horizontal
- Can pump dust particles of size .24" through
- Operates in and out of water!!!!
- Simple maintenance with removable rotor assembly
- Water-resistant ceramic bearing for continuous and trouble free use
- Oil Free Magnetic-driven, epoxy protected ceramic shaft for longer life

- Cost- saving energy efficient operation
- 3 YEAR WARRANTY

Specs

- Dimensions- 13"L x 7" W x 8"H
- Weight- 8.6 lbs
- Plastic
- Case Pack- 2
- 3.6-3.9 Amps
- 360-440 Watts
- 5200 GPH Max Flow
- 25' Max Height
- 2" Outlet Connection
- 33 ft Cord Lengt

PAL6550 - Cyclone Pump 6550GPH / 33 Ft. Cord



Features

- Energy saving split tube motor with 33ft cord
- Vortex impeller
- Pump can be used vertical or horizontal
- Can pump dust particles of size .24" through
- Operates in and out of water!!!!
- Simple maintenance with removable rotor assembly
- Water-resistant ceramic bearing for continuous and trouble free use
- Oil Free Magnetic-driven, epoxy protected ceramic shaft for longer life
- Cost- saving energy efficient operation
- 3 YEAR WARRANTY

Specs

- Dimensions-13"L x 7" W x 8"H
- Weight- 8.6 lbs
- Plastic
- Case Pack- 2
- 4.5-4.8 Amps

- 500 Watts
- 6550 GPH Max Flow
- 26' Max Height
- 2" Outlet Connection
- 33 ft Cord Length

PAL8000

- Cyclone Pump 8000GPH / 33 Ft. Cord



Features

- Energy saving split tube motor with 33ft cord
- Vortex impeller
- Pump can be used vertical or horizontal
- Can pump dust particles of size .24" through
- Operates in and out of water!!!!
- Simple maintenance with removable rotor assembly
- Water-resistant ceramic bearing for continuous and trouble free use
- Oil Free Magnetic-driven, epoxy protected ceramic shaft for longer life
- Cost- saving energy efficient operation
- 3 YEAR WARRANTY

Specs

- Dimensions-10"L x 5" W x 7"H
- Weight- 8.6 lbs
- Plastic
- Case Pack- 2
- 6.0-8.1 Amps
- 600-700 Watts

- 8000 GPH Max Flow
- 26' Max Height
- 2" Outlet Connection
- 33 ft Cord Length

PAL10300

- Cyclone Pump 10300 GPH w/33FT Cord



Features

- Energy saving split tube motor with 33ft cord
- Vortex impeller
- Pump can be used vertical or horizontal
- Can pump dust particles of size .24" through
- Operates in and out of water!!!!
- Simple maintenance with removable rotor assembly
- Water-resistant ceramic bearing for continuous and trouble free use
- Oil Free Magnetic-driven, epoxy protected ceramic shaft for longer life
- Cost- saving energy efficient operation
- 3 YEAR WARRANTY

Specs

- Dimensions: 13"L x 9"W x 8"H
- Weight: 26.26 lbs
- Plastic
- Case Pack- 1
- 8 Amps
- 1000 Watts
- 10300 GPH Max Flow
- 40' Max Height

- 2 1/2" Outlet Connection
- 33 ft Cord Length

Bio-Pure Pressure Filters

Our supreme bio-pure pressure filters is ideal for pond owners wanting simplicity, clear water and a filter system that can be easily hidden.



PLF1000

- Pressure Filter 1000 Gallon without UVC

Features

- Multi-stage biological and mechanical filtration process provides maximum pond filtration
- Large foam surface provides increased filtration and beneficial bacteria to thrive and naturally clean pond pollutant
- Unique external pressure indicator shows green when filter is performing properly and shows red when filter cleaning is necessary
- Meant to be partially buried
- Pressurized filter is ideal for use with waterfall applications
- Universal connectors for 3/4" to 1- 1/2" tubing
- 2 year warranty

Specs

- Dimensions- 11"L x 11"W x 15"H
- Weight- 9.6 lbs
- Plastic

- Case Pack- 1
- Filter Capacity: 1000 Gallons
- Pond Size: 1060 Gallons
- Inlet/Outlet: 3/5" to 1"
- No UV

PLF1000U

- UV-C Filter 1000 Gallon

Features

- Multi-stage biological and mechanical filtration process provides maximum pond filtration
- Large foam surface provides increased filtration and beneficial bacteria to thrive and naturally clean pond pollutant
- Unique external pressure indicator shows green when filter is performing properly and shows red when filter cleaning is necessary
- Meant to be partially buried
- Pressurized filter is ideal for use with waterfall applications
- Universal connectors for 3/4" to 1- 1/2" tubing
- 2 year warranty

Specs

- Dimensions- 11"L x 11"W x 15"H
- Weight- 9.6 lbs
- Plastic
- Case Pack- 1
- Filter Capacity: 1000 Gallons
- Pond Size: 1060 Gallons
- Inlet/Outlet: 3/5" to 1"
- UV: 7 Watt

PLF2000

- Pressure Filter 2000 Gallon without UVC

Features

- Multi-stage biological and mechanical filtration process provides maximum pond filtration
- Large foam surface provides increased filtration and beneficial bacteria to thrive and naturally clean pond pollutant
- Unique external pressure indicator shows green when filter is performing properly and shows red when filter cleaning is necessary
- Meant to be partially buried
- Pressurized filter is ideal for use with waterfall applications
- Universal connectors for 3/4" to 1- 1/2" tubing

- 2 year warranty

Specs

- Dimensions- 14"L x 14"W x 20"H
- Weight- 9.6 lbs
- Plastic
- Case Pack- 1
- Filter Capacity: 2000 Gallons
- Pond Size: 2600 Gallons
- Inlet/Outlet: 4/5" to 1-3/5"
- No UV

PLF2000U

- UV-C Filter 2000 Gallon - 14"L x 14"W x 20"H

Features

- Multi-stage biological and mechanical filtration process provides maximum pond filtration
- Large foam surface provides increased filtration and beneficial bacteria to thrive and naturally clean pond pollutant
- Unique external pressure indicator shows green when filter is performing properly and shows red when filter cleaning is necessary
- Meant to be partially buried
- Pressurized filter is ideal for use with waterfall applications
- Universal connectors for 3/4" to 1- 1/2" tubing
- 2 year warranty

Specs

- Dimensions- 14"L x 14"W x 20"H
- Weight- 11.2 lbs
- Plastic
- Case Pack- 1
- Filter Capacity: 2000 Gallons
- Pond Size: 2600 Gallons
- Inlet/Outlet: 4/5" to 1-3/5"
- UV: 9 Watt

PLF3000

- Pressure Filter 3000 Gallon without UVC

Features

- Multi-stage biological and mechanical filtration process provides maximum pond filtration
- Large foam surface provides increased filtration and beneficial bacteria to thrive and naturally clean pond pollutant
- Unique external pressure indicator shows green when filter is performing properly and shows red when filter cleaning is necessary
- Meant to be partially buried
- Pressurized filter is ideal for use with waterfall applications
- Universal connectors for 3/4" to 1- 1/2" tubing
- 2 year warranty

Specs

- Dimensions- 15"L x 16"W x 24"H
- Weight- 11.6 lbs
- Plastic
- Case Pack- 1
- Filter Capacity: 3000 Gallons
- Pond Size: 3400 Gallons
- Inlet/Outlet: 4/5" to 1-3/5"
- No UV

PLF3000U

- UV-C Filter 3000 Gallon

Features:

- Multi-stage biological and mechanical filtration process provides maximum pond filtration
- Large foam surface provides increased filtration and beneficial bacteria to thrive and naturally clean pond pollutant
- Unique external pressure indicator shows green when filter is performing properly and shows red when filter cleaning is necessary
- Meant to be partially buried
- Pressurized filter is ideal for use with waterfall applications
- Universal connectors for 3/4" to 1- 1/2" tubing
- 2 year warranty

Specs:

- Dimensions: 15"L X 16"W X 24"H
- Weight: 13.2 lbs

- Plastic
- Case Pack: 1
- Filter Capacity: 3000 Gallons
- Pond Size: 3400 Gallons
- Inlet/Outlet: 4/5" to 1-3/5"
- UV: 11 Watt

- [View full size](#)

PLG3500U

- Supreme Filter w/ 24W Bulb



Features

- Multi-stage biological and mechanical filtration process provides maximum pond filtration
- Large foam surface provides increased filtration and beneficial bacteria to thrive and naturally clean pond pollutant
- Unique external pressure indicator shows green when filter is performing properly and shows red when filter cleaning is necessary
- Meant to be partially buried
- Pressurized filter is ideal for use with waterfall applications
- Universal connectors for 3/4" to 1- 1/2" tubing
- 2 year warranty

Specifications

- Dimensions: 16"L x 16"W x 27"H
- Weight: 22 lbs
- Case Pack: 1
- Filter Capacity: 3500 Gallons
- Pond Size: 4000 Gallons
- Inlet/Outlet: 4/5" to 1-3/5"
- UV: 24 Watt

VAC1500

- Pond Vacuum



- 250 watt motor
- On/off switch on handle
- Adjustable telescopic handle
- Removes debris up to 1" in diameter including sludge, leaves, stones, blanket weeds and more
- 1500 max flow volume
- 16 ft discharge hose
- 33' cord length
- Safe to use with fish in ponds
- Use IN water!